

## LISTING OF CLAIMS

This listing supercedes prior listings of the claims, and includes amendments as marked.

1. (Currently Amended) A method ~~for displaying an image~~ comprising:  
receiving both image data and additional visual effect information at a user equipment of a first user from a device of a second user over a data communication system;  
generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said visual effect information; and  
~~displaying, at said user equipment and after said receiving and generating, and in a predetermined sequence,~~displaying at said user equipment a version of said image with said visual effect on a display of the user equipment and the image without said visual effect on the display in a predetermined time sequence.
2. (Currently Amended) A method as claimed in claim 1, wherein said version of the image associated with the visual effect is presented before said ~~step of~~ displaying the image without said visual effect.
3. (Original) A method as claimed in claim 1, wherein the presentation of said visual effect is started before all image data that associates with the image has been received in its entirety from the data communication system.
4. (Previously Presented) A method as claimed in claim 1, wherein the visual effect is displayed at said user equipment for a predefined period of time.
5. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes information that is associated with the context or content of the image.
6. (Previously Presented) A method as claimed in claim 5, wherein the visual effect visualizes at least one of the following features: the temperature in the target of the

image; the time when the image was created; movements associated with the image; emotional feelings associated with the image.

7. (Currently Amended) A method ~~for displaying an image comprising:~~according to claim 1

~~receiving image data associated with the image and additional associated information at a user equipment of a first user from a device of a second user over a data communication system;~~

~~generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said additional information associated with the image;~~

~~displaying, after said receiving and generating and in a predetermined sequence, a version of said image with said visual effect on a display of the user equipment and the image without said visual effect on the display, wherein the visual effect visualizes the age of the image.~~

8. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes a location.

9. (Original) A method as claimed in claim 8, wherein the location is the location of the source of the image data.

10. (Original) A method as claimed in claim 9, wherein the source comprises the location of the target of the image or the location of the imaging apparatus capturing the image.

11. (Previously Presented) A method as claimed in claim 8, wherein the visual effect visualizes relative location between the device and the user equipment.

12. (Currently Amended) A method as claimed in claim 11, comprising ~~steps of:~~  
providing receiving first position data associated with the geographical location of the

user equipment; ~~providing~~ receiving second position data associated with the geographical location of the source of the image data; and processing ~~of~~ said first and second location data for obtaining said relative location.

13. (Original) A method as claimed in claim 8, comprising use of information associated with the directional position of the user equipment.

14. (Original) A method as claimed in claim 12, wherein the processing is accomplished by a processor of the user equipment.

15. (Previously Presented) A method as claimed in claim 8, wherein the location is visualized by displaying a version of the image on a position on the display that depends on the location of where the image was captured or of the device of the second user.

16. (Currently Amended) A method as claimed in claim 15, further comprising ~~further step of~~ displaying a map, wherein a location on said map is visualized by associating said version of the image with a position on the map.

17. (Previously Presented) A method as claimed in claim 15, wherein locations to the north of the user equipment are indicated by associating the display of the version of the image with the top portion of the display means, locations to the south of the user equipment are indicated by associating the display of the version of the image with the lower portion of the display means, locations to the west of the user equipment are indicated by associating the display of the version of the image with the left portion of the display means, and locations to the east of the user equipment are indicated by associating the display of the version of the image with the right portion of the display means.

18. (Previously Presented) A method as claimed in claim 8, wherein the size of the image visualizes the distance between the location and the user equipment.

19. (Previously Presented) A method as claimed in claim 18, wherein the size of the image is changed at a speed that visualizes the distance between the location and the user equipment.

20. (Previously Presented) A method as claimed in claim 1, wherein the visual effect comprises moving a version of the image on the display so that the image appears at different locations on the display.

21. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of the importance of the image.

22. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of a priority order of the image.

23. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes an audio effect associated with the image.

24. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of the origin of the image.

25. (Original) A method as claimed in claim 24, wherein the visual effect indicates a group of persons.

26-28. (Canceled)

29. (Previously Presented) A method as claimed in claim 1, wherein the presentation of the visual effect comprises presentation of a differently colored version of the image.

30. (Previously Presented) A method as claimed in claim 29, wherein a predefined color during the presentation of the visual effect visualizes a predefined condition.

31. (Previously Presented) A method as claimed in claim 29, wherein at least one color of the image is modified by altering a color index table of the image.
32. (Previously Presented) A method as claimed in claim 29, wherein at least one color of the image is modified by modifying a bitmap of the image.
33. (Original) A method as claimed in claim 1, wherein the additional information is obtained from the name of an image data file.
34. (Original) A method as claimed in claim 1, wherein the additional information is included in the image data.
35. (Original) A method as claimed in claim 1, wherein the additional information is included in a separate field of an image data file.
36. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of a shaking or vibrating version of the image.
37. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of a distorted version of the image.
38. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of at least one differently sized version of the image.
39. (Original) A method as claimed in claim 1, wherein the image data is transmitted over a wireless interface between the user equipment and the data network.
40. (Original) A method as claimed in claim 39, wherein the user equipment comprises a mobile station adapted for communication with a cellular communication network.

41. (Currently Amended) A method, comprising:

receiving, at a mobile station having a display, both image data and visual effect information from a data communication system, said image data and additional information being transmitted over a wireless interface between the mobile station and the data communication system;

generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said visual effect information; and

~~displaying, after said receiving and generating, displaying on the mobile station display and in a predetermined sequence,~~ a version of the image with said visual effect ~~on the mobile station display and the image without said visual effect on the mobile station display-~~ in a predetermined time sequence.

42. (Currently Amended) ~~A user equipment for displaying an image~~ Apparatus comprising:

a receiver configured to receive both image data associated with the image and additional associated information from a device over a data communication system;

a display; and

a processor configured to generate a visual effect based on said additional information associated with the image and control display of the image and a version of the image comprising the visual effect on the display, wherein said image and version of the image comprising the visual effect are displayed, after the receiver receives the image data and associated information, in a predetermined time sequence to convey a meaning associated with a context of the image.

43. (Currently Amended) ~~A user equipment~~ Apparatus as claimed in claim 42 being adapted to display the version of the image that comprises the visual effect before displaying the image.

44. (Currently Amended) ~~A user equipment~~ Apparatus as claimed in claim 43, ~~wherein which is configured to display said visual effect is displayed before all image~~

data has been received in its entirety from the data communication system.

45. (Currently Amended) A communication system, comprising:

a data communication media for transporting data between at least two user equipment;

a first user equipment including a camera configured to capture an image and generate image data associated with the captured image, said first user equipment being adapted to associate visual effect information with the image data; and

a second user equipment comprising a receiver means for receiving the image data and visual effect information from the first user equipment, a processor means for processing said received image data, and a display means for displaying the image based on the received image data, said second user equipment being also adapted to display ~~in a predetermined sequence~~ the image and an altered version of the image in a predetermined time sequence, wherein the altered version comprises a visual effect generated based on said visual effect information.

46. (Currently Amended) A method, comprising:

sending both image data associated with an image and additional information associated with content of the image from a first party to user equipment of a second party via a data communication system;

generating on the basis of said additional information a visual effect to be presented in association with a version of the image, said visual effect visualizing said information associated with the context of the image; and

~~displaying, after the sending and generating, displaying on a display of the user equipment and in a predetermined sequence, said visual effect on a display of the user equipment and the image on the display without the visual effect~~ in a predetermined time sequence.

47. (Previously Presented) The method of claim 46, wherein the predetermined sequence is determined by the additional associated information.

48. (Previously Presented) The method of claim 47, wherein the predetermined sequence conveys a message and has meaning that is associated with a context of said image.

49. (New) Apparatus as claimed in claim 42, which is configured to present said version of the image associated with the visual effect before said step of displaying the image without said visual effect.

50. (New) Apparatus as claimed in claim 42, which is configured to start presentation of said visual effect before all image data that associates with the image has been received in its entirety from the data communication system.

51. (New) Apparatus as claimed in claim 42, which is configured to display the visual effect for a predefined period of time.

52. (New) Apparatus as claimed in claim 42, wherein the visual effect visualizes information that is associated with the context or content of the image.

53. (New) Apparatus as claimed in claim 52, wherein the visual effect visualizes at least one of the following features: the temperature in the target of the image; the time when the image was created; movements associated with the image; emotional feelings associated with the image.

54. (New) Apparatus according to claim 52, wherein the visual effect visualizes the age of the image.

55. (New) Apparatus as claimed in claim 42, wherein the visual effect visualizes a location.

56. (New) Apparatus as claimed in claim 55, wherein the location is the location of the source of the image data.



57. (New) Apparatus as claimed in claim 56, wherein the source comprises the location of the target of the image or the location of the imaging apparatus capturing the image.

58. (New) Apparatus as claimed in claim 55, wherein the visual effect visualizes relative location between the apparatus and said device.

59. (New) Apparatus as claimed in claim 42, which is configured to: receive first position data associated with the geographical location of said apparatus; receive second position data associated with the geographical location of the source of the image data; and process said first and second location data for obtaining said relative location.

60. (New) Apparatus as claimed in claim 55, which is configured to use information associated with the directional position of the user equipment.

61. (New) Apparatus as claimed in claim 55, which is configured to visualize the location by displaying a version of the image on a position on the display that depends on the location of where the image was captured or of said device.

62. (New) Apparatus as claimed in claim 61, which is further configured to: display a map, wherein a location on said map is visualized by associating said version of the image with a position on the map.

63. (New) Apparatus as claimed in claim 61, wherein locations to the north of the user equipment are indicated by associating the display of the version of the image with the top portion of the display means, locations to the south of the user equipment are indicated by associating the display of the version of the image with the lower portion of the display means, locations to the west of the user equipment are indicated by associating the display of the version of the image with the left portion of the display means, and locations to the east of the user equipment are indicated by associating the

display of the version of the image with the right portion of the display means.

64. (New) Apparatus as claimed in claim 55, wherein the size of the image visualizes the distance between the location and the user equipment.

65. (New) Apparatus as claimed in claim 64, which is further configured to change the the size of the image at a speed that visualizes the distance between the location and the user equipment.

66. (New) Apparatus as claimed in claim 42, wherein the visual effect comprises moving a version of the image on the display so that the image appears at different locations on the display.

67. (New) Apparatus as claimed in claim 42, wherein the visual effect is indicative of the importance of the image.

68. (New) Apparatus as claimed in claim 42, wherein the visual effect is indicative of a priority order of the image.

69. (New) Apparatus as claimed in claim 42, wherein the visual effect visualizes an audio effect associated with the image.

70. (New) Apparatus as claimed in claim 42, wherein the visual effect is indicative of the origin of the image.

71. (New) Apparatus as claimed in claim 70, wherein the visual effect indicates a group of persons.

72. (New) Apparatus as claimed in claim 42, wherein said version of the image comprising the visual effect comprises a differently colored version of the image.

73. (New) Apparatus as claimed in claim 72, wherein a predefined color visualizes a predefined condition.

74. (New) Apparatus as claimed in claim 72, which is configured to modify at least one color of the image by altering a color index table of the image.

75. (New) Apparatus as claimed in claim 72, which is configured to modify at least one color of the image by modifying a bitmap of the image.

76. (New) Apparatus as claimed in claim 42, wherein the additional information is obtained from the name of an image data file.

77. (New) Apparatus as claimed in claim 42, wherein the additional information is included in the image data.

78. (New) Apparatus as claimed in claim 42, wherein the additional information is included in a separate field of an image data file.

79. (New) Apparatus as claimed in claim 42, wherein the visual effect comprises provision of a shaking or vibrating version of the image.

80. (New) Apparatus as claimed in claim 42, wherein the visual effect comprises provision of a distorted version of the image.

81. (New) Apparatus as claimed in claim 42, wherein the the visual effect comprises provision of at least one differently sized version of the image.

82. (New) Apparatus as claimed in claim 42, wherein the image data is received over a wireless interface.

83. (New) Apparatus as claimed in claim 82, which is part of a mobile station adapted for communication with a cellular communication network.